

T590 Compact Track Loader



▲ Performance 5

▲ Durable Track System

Bobcat track systems are designed for simplicity and durability - and you won't find a tougher track system on the market! The forged steel idlers and steel imbed tracks are built for the longest-possible service life with minimal maintenance. And to guarantee you more uptime, the solid-mounted drive motors and hydraulic hoses are better protected from debris, snags, vibrations, rubbing, mud and sticks.

▲ Loader/Excavator Combination

Combine the speed and agility of a Bobcat loader and the 360-degree house rotation, independent boom swing and multi-function hydraulics of a Bobcat excavator. When you add the industry's widest choice of attachments, it's easy to see how this potent combination can outwork a tractor-loader-backhoe when site access and working space are limited.

▲ Instrumentation

The optional M-Series Deluxe Instrumentation Panel brings the latest advances in communication, monitoring, productivity and control to your Bobcat® skid-steer loader or compact track loader. It monitors key loader functions, communicates alerts and provides additional attachment information to track usage. Using the ultra-sharp LCD screen and simple interface, you will be able to access data and helpful notifications to keep your loader operating at peak capacity with maximum uptime.

▲ Smart Cooling

When the dust flies, the machine temperature rises and you're pushing to finish a project, you need a cooling system that won't let you down! The patented Bobcat® cooling system features a dual-path design that cools more efficiently, with a quiet fan that only turns as fast as needed. For added reliability, the radiator and hydraulic oil cooler are safely protected from jobsite hazards.

▲ Superior Lift Arms

Bobcat Skid-Steer Loaders offer you the choice of two lift-path options, so we're sure to meet your needs. Vertical lift-path machines provide more reach at full lift height, while radius lift-path models offer maximum reach at truck-bed height. Both options feature our durable and patented single-plane design which reduces side-to-side lift arm movement and minimises load on the pins.

▲ Serviceability ⁴

▲ Panoramic Serviceability

No other loaders are as easy to access for maintenance and servicing as Bobcat® skid-steer loaders (SSL) and compact track loaders (CTL). You receive easy, full access to the engine checks and fills, filters and battery. Unlike other brands, you do not need to raise the lift arms to service the machine. So you can spend your time completing maintenance work, rather than struggling to gain access.

▲ Transverse Engine and Belt Drive

Bobcat® loaders can be serviced from one side thanks to the exclusive belt-drive system. This durable technology with a multi-groove Kevlar™ belt allows your loader engine to run slower, which reduces noise and gives your machine longer durability. This optimised engine-to-pump package is also more efficient.

▲ Hydraulic Oil Site Gauge

You can check your hydraulic oil level quickly and easily as you walk by your machine. Always keep an eye on hydraulic oil levels and simplify your daily checks.

▲ Grease Point Access

Bobcat makes maintenance simpler and faster with easy-to-access grease point locations on critical pivot points. So you don't have to lie on the ground or stand on the wheels or tracks to grease the pins.

▲ Attachment Versatility ⁴

▲ Bob-Tach

With the standard Bob-Tach® mounting system you can change an attachment on your loader in less than a minute. So you can easily use different attachments - bucket, auger, landscape rake, grapple and many others - throughout your day. Developed more than 35 years ago, the Bob-Tach system is time-tested.

▲ Do More

Bobcat attachments help you do so much more. The versatility of our attachments and the support from the Bobcat dealer network is an unbeatable combination. Quick couplers give you clean, rapid attachment changes every time, and the attachment control kit simplifies operation. On selected attachments, high-flow hydraulics provide a big power boost.

▲ Instrumentation

The optional M-Series Deluxe Instrumentation Panel brings the latest advances in communication, monitoring, productivity and control to your Bobcat® skid-steer loader or compact track loader. It monitors key loader functions, communicates alerts and provides additional attachment information to track usage. Using the ultra-sharp LCD screen and simple interface, you will be able to access data and helpful notifications to keep your loader operating at peak capacity with maximum uptime.

▲ Power Bob-Tach

With the optional Power Bob-Tach™ mounting system, you can swap non-hydraulic attachments without even leaving your seat. Just press a dash switch - it engages the wedges into the attachment. The system locks the levers and keeps the attachment secure. This system is also the fastest method to connect hydraulic attachments to your loader because all you have to do is hook up the hoses after you have secured the attachment.

▲ Comfort 2

▲ Improved Visibility

For safety and increased efficiency, Bobcat® skid-steer loader (SSL) and compact track loader (CTL) cabs are designed for the best possible all-around visibility. As you grade next to a building or load the machine on a trailer, you'll gain better sight lines for easier and faster operation. You can easily see the bucket corners and cutting edge from your seat. Your tracks or tyres are also visible without raising the loader arms.

▲ Pressurized Cab

In your line of work, you have to dive right in – where the dirt, dust, mud and debris are at their worst. That's why you need a Bobcat loader - our enclosed cabs have a best-in-class pressurised interior space that keeps down dust to a minimum, keeping you clean and comfortable. The one-piece seal and unique, curved door pocket ensure that you enjoy the best-possible protection. Keep warm air in the cab during cold weather, and ensure that cool air keeps you comfortable on hot days.

▲ Uptime Protection 3

▲ Durable Track System

Bobcat track systems are designed for simplicity and durability - and you won't find a tougher track system on the market! The forged steel idlers and steel imbed tracks are built for the longest-possible service life with minimal maintenance. And to guarantee you more uptime, the solid-mounted drive motors and hydraulic hoses are better protected from debris, snags, vibrations, rubbing, mud and sticks.

▲ Machine Protection

With Bobcat® skid-steer loaders (SSL) and compact track loaders (CTL), you're ready for almost anything that you could possibly encounter on the jobsite. The radiator and hydraulic oil cooler are protected from danger, while hoses are routed through the loader arms and frame uprights for extra protection. Quick couplers are mounted directly into the front plate of the lift arm. The solid-steel tailgate has no cooling holes or other openings for intrusions that could damage the machine.

▲ Uptime Protection

The Bobcat reputation for reliable equipment and maximum uptime protects your own reputation for timely, productive work. These better-built loaders rely on a range of features that help minimise maintenance and protect your machine: machine shutdown protection, self-diagnostics, battery run-down protection, cold weather protection and other features. What's more, Bobcat skid-steer loaders feature the industry's only maintenance-free chaincase, which further reduces maintenance and gives you added peace of mind.

▲ Features for Attachments

T590 Compact Track Loader

Attachment Control Kit	Optional
Bob-Tach® Mounting System	Standard
Power Bob-Tach™	Optional
Fingertip Auxiliary Hydraulics Control	Standard
Hydraulic System Pressure	241 Bar
Hydraulic Standard Flow	64.7 L/min
Hydraulic High Flow (optional)	101.1 L/min
Pressure Release Hydraulic Quick Couplers	Standard

Key Specifications

T590 Compact Track Loader

Horsepower	66.0 hp
Rated Operating Capacity (ISO)	992 kg
Operating Weight	3513 kg

Model

T590 Compact Track Loader

Emissions Tier (EPA)	iT4
Loader Series	M-Series
Rated Operating Capacity (35% of tipping load)	992 kg
Tipping Load	2834 kg
Height to Hinge Pin	3023 mm
Lift Arm Path	Vertical

Size and Speed

T590 Compact Track Loader

Operating Weight	3513 kg
Bucket Width	1727 mm
Cab Height	1972 mm
Travel Speed – Single Speed	11.4 km/hr
Travel Speed – High Range (optional 2-Speed travel)	16.7 km/hr

Engine

T590 Compact Track Loader

Horsepower	66.0 hp
Type	Turbo Charged
Fuel Tank Capacity	138.2 L

^ Tracks/Undercarriage**T590 Compact Track Loader**

Track Width – Standard	320 mm
Track Width – Optional	400 mm
Ground Pressure (with standard tracks)	5.0 psi
Ground Pressure (with optional tracks)	4.2 psi
Length of Track on Ground	1401 mm
Roller Suspension	-
Torsion Suspension	-
Grease Cylinder Track Tensioning	Standard

^ Control Options**T590 Compact Track Loader**

Bobcat Standard (foot pedals/steering levers)	Standard
Selectable Joystick Control (SJC)	Optional
Radio Remote Control (SJC required)	Optional

^ Machine Features**T590 Compact Track Loader**

Air Ride Seat	-
Back-up Alarm & Horn	Standard
Bobcat Interlock Control System (BICSTM)	Standard
Cab with Heat	Optional
Cab with Heat & Air Conditioning	Optional
Deluxe Instrumentation (includes Keyless Start)	Optional
Hydraulic Bucket Positioning	Optional
Front and Rear Work Lights	Standard
Radio	Optional
Ride Control	Optional
ROPS/FOPS Approved Cab Structure	Standard
Sound Reduction Package	Optional